



**National Institute for Public Health  
and the Environment**  
*Ministry of Health, Welfare and Sport*

**Epidemiological report of SARS-CoV-2 on the Dutch Caribbean CAS- and BES-islands:  
Week 13 (March 22nd - March 29th, 2021)**

Produced by the National Institute for Public Health and the Environment of the Netherlands - RIVM  
*31 March 2021, 19:00 pm AST*

For general information on surveillance of COVID-19 on the CAS-BES-islands, see the next page.

**Summary**

The number of SARS-CoV-2 infections continues to rise on Aruba, Bonaire, and Curaçao. Between March 22nd and March 29th, 2021, 2,180 new COVID-19 cases have been reported on the CAS- and BES-islands: 392 on Aruba, 196 on Bonaire, 1,566 on Curaçao, and 26 on Dutch St Maarten.

Increased local transmission and circulation of variants play an important role in the recent rise of infections. Surveillance of circulation of variants on Aruba shows 114 cases of the VOC 202012/B.1.1.7 (UK) variant on the island, 3 cases of the Brazilian P.1 variant, 2 cases of the VOC B.1.351 (South African) variant, and 8 cases of the VOI B.1.429/B.1.427 (California). The incidence rate increased to 340 cases per 100,000 persons. The number of active cases has lowered to 604, of which 60 are tourists.

On Bonaire and Curaçao, an increased circulation of variants is also noticeable, which is likely the driving force behind the rapid increase in the number of new infections on these islands. Surveillance of variants on Bonaire shows the proportion VOC has increased from 75.0% in week 7 to 92.9% in week 9. The number of active infections in Bonaire has decreased to 371 and the incidence rate has lowered to 1,018 cases per 100,000 persons. As of March 18th, 2021, Bonaire has gone into lockdown to reduce transmission.

Surveillance of circulation of variants on Curaçao shows the proportion of VOC B.1.1.7 has increased substantially (proportion VOC: 93.5%). The incidence rate has increased to 923 cases per 100,000 persons. As of March 24th, Curaçao has gone into a lockdown for a minimum period of two weeks.

COVID-related mortality has been increasing on Aruba, Bonaire, and Curaçao. Since last week, Bonaire reported 1 new death, Curaçao reported 9. Since the start of the epidemic, 82 persons have died due to or with COVID-19 in Aruba, 27 in Dutch St Maarten, 33 in Curaçao, and 10 in Bonaire.

With hospital admissions increasing, Aruba, Bonaire, and Curaçao are seeing a rise in COVID-morbidity. Admitted patients are requiring ICU-care more rapidly, as compared to the first wave last year. On Curaçao, 47 patients are currently admitted to the general hospital ward, and 22 patients to the ICU. Aruba has been seeing a larger amount of patients requiring hospitalization in the past few weeks. Currently there are 46 hospitalized patients, of which 12 are admitted to the ICU. In Bonaire, there are currently 11 patients admitted to the general hospital ward and 5 to the ICU. Additionally, 1 Bonairean patient has been transferred to receive care in Curaçao and 1 in Aruba. The hospital admissions place a large burden on the capacity of care and availability of healthcare professionals on the three islands. Elective care has been scaled down on Bonaire and Curaçao. Healthcare personnel from Dutch St Maarten has flown in to assist on the islands.

The number of new SARS-CoV-2 infections in Dutch St Maarten has been rising over the past two weeks. On March 29th, 34 active cases were registered on the island. The incidence rate has increased to 47 cases per 100,000 persons. There are no recent updates of the surveillance of variants on Dutch St Maarten, which up to now shows 1 case of the VOI B.1.429 (Californian) variant, 1 case of the Brazilian P.2 variant, and 2 cases of the B.1.526 (New York) variant with E484K mutation, none of which a VOC. Both St Eustatius and Saba have not reported active COVID-19 cases since January 28th.

---

## Information on surveillance of COVID-19 on the CAS- and BES-islands

The Caribbean part of the Kingdom of the Netherlands entails the countries Curaçao, Aruba, and Dutch St Maarten (CAS-islands), as well as the overseas municipalities Bonaire, St Eustatius, and Saba (BES-islands). Surveillance data of SARS-CoV-2 cases is collected on each island in collaboration with local medical professionals, laboratories, and public health departments. These surveillance data are shared by the CAS- and BES-islands through daily updates and stored in the SARS-CoV-2 IHR Daily Overview Dutch Caribbean; an overview of the spread of SARS-CoV-2 on the CAS- and BES-islands.

This report has been generated using surveillance data registered at the RIVM between March 22nd 2020 and 29 March 2021. Sometimes surveillance data is reported to the RIVM one or multiple days later than documented on the islands. The data presented in this report are based on the date of registration at the RIVM. Because islands retrospectively correct surveillance data, the crude estimates in this report may differ slightly from the data shared by each island. The data reported here may lag behind in case more recent data has not yet been reported to the RIVM by respective islands.

Everyone with symptoms of COVID-19 can get tested. However, it is plausible that not all individuals with a SARS-CoV-2 infection are tested. The actual numbers of cases can therefore be higher than the numbers reported here. The CAS- and BES-islands also register when individuals with a positive SARS-CoV-2 test result have recovered. These data are used to report the current number of active cases in Table 3. The number of active cases refers to the number of individuals who tested positive for SARS-CoV-2 and who have not yet recovered at the time of producing this report.

### Disclaimer

Though this weekly report has been produced with the utmost care, it could possibly contain errors. Feedback on this overview is welcome.

Contact details:

RIVM COVID-19 Surveillance team (e-mail: [COVID-19EPI@rivm.nl](mailto:COVID-19EPI@rivm.nl))

## Table of contents

	Page
1 Overview of reported SARS-CoV-2 cases on the CAS- and BES-islands	4
2 SARS-CoV-2 progression over time	9
3 SARS-CoV-2 incidence rate progression over time	15

# 1 Overview of reported SARS-CoV-2 cases on the CAS- and BES-islands

Table 1: Number of laboratory confirmed cases with a positive test result for SARS-CoV-2 over the past 2 weeks, as reported to the RIVM by the CAS- and BES-islands

Island	Date: from-until	Number of performed tests	Number of laboratory confirmed tests with positive test result	Positivity rate %
Aruba <sup>1</sup>	15-03-2021 - 21-03-2021	4800	376	7.8
	22-03-2021 - 28-03-2021	85031	488	0.6
Bonaire	15-03-2021 - 21-03-2021	775	308	39.7
	22-03-2021 - 28-03-2021	639	254	39.7
Curaçao <sup>2</sup>	15-03-2021 - 21-03-2021	6376	887	13.9
	22-03-2021 - 28-03-2021	7322	1561	21.3
Saba <sup>3</sup>	15-03-2021 - 21-03-2021	-	0	-
	22-03-2021 - 28-03-2021	-	0	-
Sint Eustatius	15-03-2021 - 21-03-2021	59	0	0
	22-03-2021 - 28-03-2021	12	0	0
Sint Maarten <sup>4</sup>	15-03-2021 - 21-03-2021	-	-	-
	22-03-2021 - 28-03-2021	-	-	-

<sup>1</sup> This estimate concerns a crude positivity rate for Aruba. The Directie Volksgezondheid Aruba reports a corrected positivity rate through: <https://www.facebook.com/desparuba>.

<sup>2</sup> The Public Health Department on Curaçao estimates a corrected positivity rate. Therefore, estimates presented here may differ from positivity rates reported by Curaçao.

<sup>3</sup> A '-' value indicates insufficient data was reported to the RIVM to report in this table.

<sup>4</sup> The positivity rate for Dutch St Maarten has been estimated using public data of the weekly number of tests analyzed. Therefore, estimates presented here may differ from positivity rates reported by Dutch St Maarten.

Table 2: Number of laboratory confirmed cases with a positive SARS-CoV-2 test result, number of hospital admissions<sup>1</sup> and number of deceased cases, cumulative and for the previous week, on the CAS- and BES-islands, as reported to RIVM

Island	Cumulative			Previous week <sup>2</sup>	
	Number of cases	Hospital admissions	Deceased patients	Number of cases	Deceased patients
Aruba	9294	472	82	392	0
Bonaire	1315	23	10	196	0
Curaçao	7740	241	33	1566	9
Saba	6	1	0	0	0
Sint Eustatius	20	0	0	0	0
Sint Maarten	2134	135	27	26	0
Total	20509	872	152	2180	9

<sup>1</sup> The number of hospital admissions cannot be displayed for the previous week due to a delay in reporting these data. The current number of hospitalized COVID-19 patients is reported in Table 3.

<sup>2</sup> These have been reported to the RIVM between March 22nd and March 29th, 2021.

Table 3: Current number of active SARS-CoV-2 cases and status of COVID-19 hospital admissions on the CAS- and BES-islands, as reported to RIVM<sup>1,2</sup>

Island	Number of active cases	Number of hospitalized patients on general hospital ward	Number of patients hospitalized in the ICU
Aruba	604	34	12
Bonaire	371	11	5
Curaçao	2548	47	22
Saba	0	0	0
Sint Eustatius	0	0	0
Sint Maarten	34	1	0
Total	3557	93	39

<sup>1</sup> These have been reported to the RIVM between March 22nd and March 29th, 2021.

<sup>2</sup> The number of active cases is defined as the number of COVID-19 infected persons who have not been confirmed to have recovered from COVID-19 infection at the time of reporting these data to RIVM. These data may lag behind when islands have limited public health capacity to confirm recovery among infected cases.




Figure 1: Progression of COVID-related hospital occupation over time <sup>1,2,3,4,5</sup>

<sup>1</sup> This figure presents the number of reported persons who have tested positive for SARS-CoV-2 during or before admission on the general hospital ward and/or ICU.

<sup>2</sup> The light blue data represent the ICU-occupation over time, per island. The dark blue data represent the occupation of the general hospital ward over time, per island.

<sup>3</sup> Due to the low number of hospitalised patients on Saba en St Eustatius, these islands have not been included in this graph.

<sup>4</sup> Based on the most recent data registered for Bonaire, the admission status is unknown for 234 persons who have tested positive for SARS-CoV-2 since January 1st, 2021. These cases have not been included in this graph.

<sup>5</sup> The reported data has been presented by the date of reporting to the RIVM. These numbers can lag behind when the most recent data has not yet been reported to the RIVM.

Table 4: SARS-CoV-2 incidence rate per 100,000 residents on the CAS- and BES-islands<sup>1</sup>, as reported to RIVM

Island	Incidence per 100,000 residents	
	Previous week <sup>2</sup>	Previous two weeks <sup>3</sup>
Aruba	243.7	586.0
Bonaire	561.6	1990.9
Curaçao	714.8	1281.9
Saba	0.0	0.0
Sint Eustatius	0.0	0.0
Sint Maarten	31.2	64.1

<sup>1</sup> The calculated incidence rates include the estimated number of undocumented migrants on each island, see Table 5.

<sup>2</sup> The incidence rate per 100,000 persons, for the previous week, has been calculated from 24 maart 2021 until 29 maart 2021.

<sup>3</sup> The incidence rate per 100,000 residents, for the previous two weeks, has been calculated from 17 maart 2021 until 29 maart 2021.

Table 5: Number of residents and acreage of the CAS- and BES-islands<sup>1</sup>

Island	Capital city	Residents	Acreage	Political status
Aruba	Oranjestad	106.800	180 km <sup>2</sup>	Country within the Kingdom of The Netherlands
Bonaire	Kralendijk	20.900	288 km <sup>2</sup>	Dutch municipality
Curaçao	Willemstad	164.100	444 km <sup>2</sup>	Country within the Kingdom of The Netherlands
Saba	The Bottom	1.915	13 km <sup>2</sup>	Dutch municipality
Sint Maarten	Philipsburg	44.000	34 km <sup>2</sup>	Country within the Kingdom of The Netherlands
Sint Eustatius	Oranjestad	3.138	21 km <sup>2</sup>	Dutch municipality

<sup>1</sup> Each island counts a substantial population of undocumented migrants. The reported incidence rates include the estimated population of undocumented migrants. On Aruba, Curaçao, and Dutch St Maarten the population size is estimated around 20,000 migrants. On Bonaire the population size is estimated around 1,000 migrants. These data are relevant to include as these populations are difficult to reach for local public health services and often have less access to curative care.



## 2 SARS-CoV-2 progression over time




Figure 2: Number of daily reported SARS-CoV-2 cases on Aruba, presented by RIVM registry date<sup>1,2</sup>.

<sup>1</sup> This figure displays the daily number of new SARS-CoV-2 by date of reporting to the RIVM. The black line represents the 7-day moving average of new infections. The vertical axes of figures 1-6 differ due to dissimilarities in the quantity of cases between the islands.

<sup>2</sup> The reported data has been presented by the date of reporting to the RIVM. These numbers can lag behind when the most recent data has not yet been reported to the RIVM.




Figure 3: Number of daily reported SARS-CoV-2 cases on Bonaire, presented by RIVM registry date<sup>1,2</sup>.

<sup>1</sup> This figure displays the daily number of new SARS-CoV-2 by date of reporting to the RIVM. The black line represents the 7-day moving average of new infections. The vertical axes of figures 1-6 differ due to dissimilarities in the quantity of cases between the islands.

<sup>2</sup> The reported data has been presented by the date of reporting to the RIVM. These numbers can lag behind when the most recent data has not yet been reported to the RIVM.




Figure 4: Number of daily reported SARS-CoV-2 cases on Curaçao, presented by RIVM registry date<sup>1,2</sup>.

<sup>1</sup> This figure displays the daily number of new SARS-CoV-2 by date of reporting to the RIVM. The black line represents the 7-day moving average of new infections. The vertical axes of figures 1-6 differ due to dissimilarities in the quantity of cases between the islands.

<sup>2</sup> The reported data has been presented by the date of reporting to the RIVM. These numbers can lag behind when the most recent data has not yet been reported to the RIVM.




Figure 5: Number of daily reported SARS-CoV-2 cases on Saba, presented by RIVM registry date<sup>1,2</sup>.

<sup>1</sup> This figure displays the daily number of new SARS-CoV-2 by date of reporting to the RIVM. The black line represents the 7-day moving average of new infections. The vertical axes of figures 1-6 differ due to dissimilarities in the quantity of cases between the islands.

<sup>2</sup> The reported data has been presented by the date of reporting to the RIVM. These numbers can lag behind when the most recent data has not yet been reported to the RIVM.




Figure 6: Number of daily reported SARS-CoV-2 cases on St Eustatius, presented by RIVM registry date<sup>1,2</sup>.

<sup>1</sup> This figure displays the daily number of new SARS-CoV-2 by date of reporting to the RIVM. The black line represents the 7-day moving average of new infections. The vertical axes of figures 1-6 differ due to dissimilarities in the quantity of cases between the islands.

<sup>2</sup> The reported data has been presented by the date of reporting to the RIVM. These numbers can lag behind when the most recent data has not yet been reported to the RIVM.




Figure 7: Number of daily reported SARS-CoV-2 cases on Dutch St Maarten, presented by RIVM registry date<sup>1,2</sup>.

<sup>1</sup> This figure displays the daily number of new SARS-CoV-2 by date of reporting to the RIVM. The black line represents the 7-day moving average of new infections. The vertical axes of figures 1-6 differ due to dissimilarities in the quantity of cases between the islands.

<sup>2</sup> The reported data has been presented by the date of reporting to the RIVM. These numbers can lag behind when the most recent data has not yet been reported to the RIVM.

### 3 SARS-CoV-2 incidence rate progression over time




Figure 8: Number of reported cases per 100,000 residents by RIVM registry date, on Curaçao, Aruba, Dutch St Maarten, and Bonaire<sup>1,2</sup>.

<sup>1</sup> This figure displays the 3-week average incidence rate per island per 100,000 residents, including the population of undocumented migrants on each island. Each line on the vertical axis indicates a weekly average of the incidence rate (defined as the number of new cases per 100,000 persons per week, over the total population) over a period of three weeks. For example: the reported value on January 4th 2021, is the weekly average of the incidence rate between December 28th, 2020 and January 11th, 2021.

<sup>2</sup> Due to the small number of reported cases on Saba and St Eustatius, these islands have not been included in this figure.